

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 07-256389  
(43)Date of publication of application : 09.10.1995

(51)Int.CI. B22C 3/00  
B22D 18/04

(21)Application number : 06-046858 (71)Applicant : MAZDA MOTOR CORP  
HANANO SHOJI KK  
(22)Date of filing : 17.03.1994 (72)Inventor : MATSUBAYASHI NOBUYUKI  
HANANO TAKASHI

## (54) POWDER COATING AGENT FOR LOW PRESSURE CASTING

### (57)Abstract:

PURPOSE: To provide a coating agent for low pressure casting capable of surely preventing the generation of defects of a product, and obtaining the product with excellent workability, and preventing the pollution of water after use of the coating agent in the low pressure casting method.

CONSTITUTION: The coating agent is made by mixing the powder or granular base material of the coating agent consisting of the inorganic compound to be used as the coating agent in the solid condition with the organic compound to give the adhesivity to the base material of the coating agent. Both compounds are powder or granular, or the base material of the coating agent is covered by the organic compound, and one or more kinds of sepiolite, diatom earth, alumina, titanium oxide, bentonite, or non-crystalline silicon dioxide are used as the inorganic compound.

### LEGAL STATUS

[Date of request for examination] 10.01.2001  
[Date of sending the examiner's decision of rejection]  
[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]  
[Date of final disposal for application]  
[Patent number]  
[Date of registration]  
[Number of appeal against examiner's decision of rejection]  
[Date of requesting appeal against examiner's decision of rejection]  
[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

BEST AVAILABLE COPY